



Material safety data sheet
Revised 03/24/03

Section 1

Manufactures name:
 Company Address:

Company phone:
 Emergency phone:
 Trade name:

Part Number:
 Chemical name:
 Chemical Family:
 Formula:
 Product code:

Manufacture Information

Danny's Dealer Supplies Inc.
 1037 Okeechobee Rd. Unit 1
 West Palm Beach Fl. 33401
 561-822-9994 Fax 561-655-1522
 800-535-5053 Infotrac 24 hours Medical information

Scum Buster
 Dds.411
 Not Applicable
 Not Applicable
 Proprietary
 Not Applicable

Hazardous material identification

Product name:
 Hazard rating:

Scum Buster

Dds.411
 0 = Insignificant
 1 = Slight
 2 = Moderate
 3 = High
 4 = Extreme
 * = Special

Health	1
Fire	0
Reactivity	0
Specific	*

Section 2

Hazardous ingredients

Hazardous ingredients

See CFR29 § 1910.1200 (i)-(13)

Chemical name	CAS number	Percentage	PEL-OSHA	TLV-ACGIH
2 Buloxy Ethanol (skin)	111-76-2	>1	50ppm	25ppm
Potassium hydroxide	1310-58-3	>1	N.E.	2mg/m3
Carcinogens	NTP: no	OSHA: no	IARC Monograph: no	

Section 3

Effects of overexposure First aid procedures

Health effects acute and chronic

Eyes: Can cause severe irritation, redness, tearing, blurred vision.
 Skin: Prolonged and repeated contact can cause moderate irritation, de-fatting, dermatitis.
 Ingestion: Can cause gastro intestinal irritation, nausea, vomiting and diarrhea.
 Inhalation: Can cause irritation of nasal or respiratory passages.
 Chronic: Over exposure to glycol ethers (in it's pure state) has been found to cause ammonia, liver abnormalities, kidney damage, lung damage and blood abnormalities in test animals.

Emergency First aid procedures

Eyes: Flush with plenty of water for 15 minutes.
 Skin: Immediately flush skin with plenty of running water for 30 minutes. Remove contaminated clothing and wash before reusing.
 Ingestion: Do not induce vomiting. Drink copious amounts of water or milk, consult physician.

Inhalation: Breathe fresh air. Administer oxygen if breathing is difficult.
Contact a physician if problem continues.
For emergencies contact Infotrac 800-535-5053

<u>Section 4</u>	<u>Physical data</u>
Appearance	Purple thin liquid
Odor	Lilac
Solubility in water	100%
Vapor pressure mm hg	<20
Boiling/melting point (F)	>212
Vapor density (air=1)	0.6
Evaporation rate (water-1)	1
Percentage volatile by weight (%)	>80.00
Specific gravity (water-1)	1.1

Section 5 **Fire, Explosion and Reactivity hazard data**

Flash point °F	None
Flammability limits in air (%V)	LEL-N/A UEL-N/A
Extinguishing media	N/A
Special fire fighting procedures	N/A
Unusual fire and explosion hazards	N/A
Chemical incompatibility	Avoid contact with acids and strong oxidizing agents.
Hazardous decomposition products	None
Hazardous polymerization	Will not occur.

Section 6 **Spill or leak procedures Waste disposal method**

Spill or leak procedures	Absorb large spills with suitable absorbent. Wash residue down drain or pit area with plenty of water.
Waste disposal method	Dispose of according to local, state and federal regulations for biodegradable detergents.

Section 7 **Precautions for safe handling and use**

Respiratory	An appropriate NIOSH approved hydrocarbon canister or respirator for organic vapors should be worn if needed.
Ventilation	Local exhaust below TLV
Eye protection	Safety glasses should be worn in all industrial operations.
Handling instructions	Avoid eye contact and prolonged contact with skin. Wear protective gloves. Use adequate ventilation. Wash thoroughly after handling.
Work practices	Eye wash fountain and safety shower should be easily accessible. Discard properly such items as rags and trash soaked with the product. Provide adequate ventilation.
Hygienic practices	Avoid contact with eyes, skin and clothing. Avoid inhalation of product vapors. Remove contaminated clothing promptly and wash before reusing.

Section 8

Handling precautions

Special precautions

Do not store under freezing conditions.

Protect from physical damage.

Maintenance precautions

Do not store near acids, acidic materials or oxidizers.

When working with flammable material electrically ground all equipment.

Other precautions

Containers even those that have been emptied will retain product residue and vapors. Always obey hazard warnings and dispose of containers according to state or local guidelines.

Shipping information. UN/NA#, secondary container label necessary or suggested
Compounds, cleaning liquid NA-1760 PK GP II corrosive (potassium hydroxide)**KEEP OUT OF REACH OF CHILDREN**