



Material safety data  
sheet  
Revised 10/15/04

Section 1

Manufacture Information

Manuf/Dist. name: Danny's Dealer Supplies Inc.  
 Company Address: 1037 Okeechobee Rd. Unit 1  
 West Palm Beach Fl. 33401  
 Company phone: 561-822-9994 Fax 561-655-1522  
 Emergency phone: 800-535-5053 Infotrac 24 hours Medical information  
 Trade name: Skeeter Eater  
 Part Number: Dds.424  
 Chemical name: Not Applicable  
 Chemical Family: Not Applicable  
 Formula: Proprietary  
 Product code: Not Applicable

Hazardous material identification

Product name: Skeeter Eater Dds.424  
 Hazard rating: 0 = Insignificant  
 1 = Slight  
 2 = Moderate  
 3 = High  
 4 = Extreme  
 \* = Special

Health	1
Fire	0
Reactivity	0
Specific	*

Section 2

Hazardous ingredients

Hazardous ingredients See CFR29 § 1910.1200 (i)-(13)

Chemical name	CAS number	Percentage	PEL-OSHA	TLV-ACGIH
Potassium Hydroxide	1310-58-3	>1	N/E	2mg/m3
Sodium Hydroxide	1310-73-2	>1	2mg/m3	2mg/m3
Carcinogens	NTP: not listed	OSHA: not listed	IARC Monograph: no listed	

Section 3

Effects of overexposure First aid procedures

Health effects acute and chronic

Eyes: Can cause severe irritation, redness, tearing, blurred vision.  
 Skin: Prolonged and repeated contact can cause moderate irritation, de-fatting, dermatitis.  
 Ingestion: Can cause gastro intestinal irritation, nausea, vomiting and diarrhea.  
 Inhalation: Can cause mild irritation.  
 Chronic: None known

Emergency First aid procedures

Eyes: Flush with plenty of water for 15 minutes.  
 Skin: Immediately flush skin with plenty of running water for 30 minutes. Remove contaminated clothing and wash before reusing.  
 Ingestion: Immediately drink to glasses of water and do not induce vomiting. Call physician immediately.  
 Inhalation: Breathe fresh air. Administer oxygen if breathing is difficult. Contact a physician if problem continues.  
 For emergencies contact Infotrac 800-535-5053

<u>Section 4</u>	<u>Physical data</u>	
Appearance		Clear Bluish liquid
Odor		None
Solubility in water		100% soluble
Vapor pressure mm hg		<20
Boiling/melting point (F)		>212°F
Vapor density (air=1)		0.6
Evaporation rate (butyl acetate=1)		1
Percentage volatile by weight (%)		>80.00
Specific gravity (water-1)		1.04

Section 5      Fire, Explosion and Reactivity hazard data

Flash point °F		None
Flammability limits in air (%V)		LEL-N/A UEL-N/A
Extinguishing media		Not considered a fire hazard.
Special fire fighting procedures		None
Unusual fire and explosion hazards		None
Chemical incompatibility		Avoid contact with strong oxidizing agents such as chlorine, permanganate, etc.
Hazardous decomposition products		None
Hazardous polymerization		Will not occur.
Stability		Stable

Section 6      Spill or leak procedures Waste disposal method

Spill or leak procedures		Absorb spills with suitable absorbent. Wash residue down drain or pit with plenty of water.
Waste disposal method		Dispose of according to local, state and federal regulations.

Section 7      Precautions for safe handling and use

Respiratory		An appropriate NIOSH approved hydrocarbon canister or respirator for organic vapor should be worn if needed.
Ventilation		Below TLV(s)
Eye protection		Safety glasses should be worn in all industrial operations.
Handling instructions		Avoid eye contact and prolonged contact with skin. Wear protective gloves. Use adequate ventilation. Wash thoroughly after handling.
Work practices		Eye wash fountain and safety shower should be easily accessible. Provide adequate ventilation.
Hygienic practices		Avoid contact with eyes, skin and clothing. Avoid inhalation of product vapors.

Section 8      Special precautions

Handling precautions		Do not store under freezing conditions. Protect from physical damage. Do not store near acids or acidic materials or oxidizers. Product is slippery when wet on floor surfaces.
Maintenance precautions		When working with flammable material electrically ground all equipment.
Other precautions		Containers even those that have been emptied will retain product residue and vapors. Always obey hazard warnings and dispose of containers according to state or local guidelines.
Additional precautions		None

KEEP OUT OF REACH OF CHILDREN