



Material safety data sheet
Revised 03/24/03

Section 1

Manufactures name:
Company Address:

Company phone:
Emergency phone:
Trade name:

Part Number:

Chemical name:

Chemical Family:

Formula:

Product code:

Manufacture Information

Danny's Dealer Supplies Inc.
1037 Okeechobee Rd. Unit 1
West Palm Beach Fl. 33401

561-822-9994 Fax 561-655-1522

800-535-5053 Infotrac 24 hours Medical information

Tropical Gloss Wash and Wax

Dds.441

Not Applicable

Not Applicable

Proprietary

Not Applicable

Hazardous material identification

Product name:

Hazard rating:

Tropical gloss Wash and Wax

Dds.441

0 = Insignificant

1 = Slight

2 = Moderate

3 = High

4 = Extreme

* = Special

Health	1
Fire	0
Reactivity	0
Specific	*

Section 2

Hazardous ingredients

Hazardous ingredients

See CFR29 § 1910.1200 (i)-(13)

Chemical name

CAS number

Percentage

PEL-OSHA

TLV-ACGIH

Sodium Hydroxide

1310-73-2

<1

2mg/3mg

2mg/m3

Carcinogens

NTP: no

OSHA: no

IARC Monograph: no

Section 3

Effects of overexposure First aid procedures

Health effects acute and chronic

Eyes: Can cause severe irritation, redness, tearing, blurred vision.

Skin: Prolonged and repeated contact can cause moderate irritation, defatting, dermatitis.

Ingestion: Can cause gastro intestinal irritation, nausea, vomiting and diarrhea.

Inhalation: Mild irritation.

Chronic: None known

Emergency First aid procedures

Eyes: Flush with plenty of water for 15 minutes.

Skin: Immediately flush skin with plenty of running water for 30 minutes. Remove contaminated clothing and wash before reusing.

Ingestion: Immediately drink 2 glasses of water and induce vomiting by either giving IPECAC syrup or by placing fingers in back of mouth.

Inhalation: Breathe fresh air. Administer oxygen if breathing is difficult.

Contact a physician if problem continues.

For emergencies contact Infotrac 800-535-5053

Section 4**Physical data**

Appearance	Pink viscous liquid
Odor	Banana
Solubility in water	100%
Vapor pressure mm hg	<20
Boiling/melting point (F)	>212
Vapor density (air=1)	0.6
Evaporation rate (water-1)	1
Percentage volatile by weight (%)	70
Specific gravity (water-1)	1

Section 5**Fire, Explosion and Reactivity hazard data**

Flash point °F	None
Flammability limits in air (%V)	LEL-N/A UEL-N/A
Extinguishing media	Not considered a fire hazard
Special fire fighting procedures	None
Unusual fire and explosion hazards	None
Chemical incompatibility	Avoid contact with acids and strong oxidizing agents.
Hazardous decomposition products	After water evaporates, burning may produce oxides of carbon, traces of sulfur and nitrogen oxides and various hydrocarbons.
Hazardous polymerization	Will not occur.

Section 6**Spill or leak procedures Waste disposal method**

Spill or leak procedures	Absorb large spills with suitable absorbent. Wash residue down drain or pit area with plenty of water. Residue is extremely slippery.
Waste disposal method	Dispose of according to local, state and federal regulations for biodegradable detergents.

Section 7**Precautions for safe handling and use**

Respiratory	None needed.
Ventilation	Local exhaust below TLV
Eye protection	Safety glasses should be worn in all industrial operations.
Handling instructions	None needed.
Work practices	Eye wash fountain and safety shower should be easily accessible. Discard properly such items as rags and trash soaked with the product. Provide adequate ventilation.
Hygienic practices	Avoid contact with eyes, skin and clothing. Avoid inhalation of product vapors. Remove contaminated clothing promptly and wash before reusing.

Section 8

Handling precautions

Special precautions

Do not store under freezing conditions.

Protect from physical damage.

Do not store near acids, acidic materials or oxidizers.

Maintenance precautions

When working with flammable material electrically ground all equipment.

Other precautions

Containers even those that have been emptied will retain product residue and vapors. Always obey hazard warnings and dispose of containers according to state or local guidelines.

Shipping information. UN/NA#, secondary container label necessary or suggested
Less than 1% caustic alkaline UN/NA number not necessary for labels.

KEEP OUT OF REACH OF CHILDREN