



Material safety data
sheet
Revised 05/18/04

Section 1

Manufacture Information

Manufactures name: Danny's Dealer Supplies Inc.
Company Address: 1037 Okeechobee Rd. Unit 1
West Palm Beach Fl. 33401
Company phone: 561-822-9994 Fax 561-655-1522
Emergency phone: 800-535-5053 Infotrac 24 hours Medical information
Trade name: White Wall Cleaner
Part Number: Dds.412
Chemical name: Not Applicable
Chemical Family: Not Applicable
Formula: Proprietary
Product code: Not Applicable

Hazardous material identification

Product name: White Wall Cleaner Dds.412
Hazard rating: 0 = Insignificant
1 = Slight
2 = Moderate
3 = High
4 = Extreme
* = Special

| | |
|------------|---|
| Health | 1 |
| Fire | 0 |
| Reactivity | 0 |
| Specific | * |

Section 2

Hazardous ingredients

Hazardous ingredients See CFR29 § 1910.1200 (i)-(13)

| Chemical name | CAS number | Percentage | PEL-OSHA | TLV-ACGIH |
|----------------------------|------------|------------|----------|--------------------|
| Sodium Hydroxide | 1310-73-2 | >1 | 2mg/3mg | 2mg/m ³ |
| 2 Buloxy Ethanol (skin) | 111-76-2 | >1 | 50ppm | 25ppm |

Carcinogens NTP: no OSHA: no IARC Monograph: no

Section 3

Effects of overexposure First aid procedures

Health effects acute and chronic alkaline substance

Eyes: Can cause severe irritation, redness, tearing, blurred vision.
Skin: Prolonged and repeated contact can cause moderate irritation, de-fatting, dermatitis.
Ingestion: Can cause gastro intestinal irritation, nausea, vomiting and diarrhea.
Inhalation: Can cause irritation of nasal or respiratory passages.
Chronic: Over exposure to glycol ethers (in it's pure state) has been found to cause ammonia, liver abnormalities, kidney damage, lung damage and blood abnormalities in test animals.

Emergency First aid procedures

Eyes: Flush with plenty of water for 15 minutes.
Skin: Immediately flush skin with plenty of running water for 30 minutes.
Remove contaminated clothing and wash before reusing.
Ingestion: Do not induce vomiting. Drink copious amounts of water or milk, consult physician.
Inhalation: Breathe fresh air. Administer oxygen if breathing is difficult.

Contact a physician if problem continues.
For emergencies contact Infotrac 800-535-5053

| <u>Section 4</u> | <u>Physical data</u> | |
|-----------------------------------|----------------------|--------------------|
| Appearance | | Yellow thin liquid |
| Odor | | Lemon/lime |
| Solubility in water | | 100% |
| Vapor pressure mm hg | | <20 |
| Boiling/melting point (F) | | >212 |
| Vapor density (air=1) | | 0.6 |
| Evaporation rate (water-1) | | 1 |
| Percentage volatile by weight (%) | | >80.00 |
| Specific gravity (water-1) | | 1.040 |

Section 5 Fire, Explosion and Reactivity hazard data

| | |
|------------------------------------|---|
| Flash point °F | None |
| Flammability limits in air (%V) | LEL-N/A UEL-N/A |
| Extinguishing media | N/A |
| Special fire fighting procedures | N/A |
| Unusual fire and explosion hazards | N/A |
| Chemical incompatibility | Avoid contact with acids and strong oxidizing agents. |
| Hazardous decomposition products | None |
| Hazardous polymerization | Will not occur. |

Section 6 Spill or leak procedures Waste disposal method

| | |
|--------------------------|--|
| Spill or leak procedures | Absorb large spills with suitable absorbent. Wash residue down drain or pit area with plenty of water. |
| Waste disposal method | Dispose of according to local, state and federal regulations for biodegradable detergents. |

Section 7 Precautions for safe handling and use

| | |
|-----------------------|---|
| Respiratory | An appropriate NIOSH approved hydrocarbon canister or respirator for organic vapors should be worn if needed. |
| Ventilation | Local exhaust below TLV |
| Eye protection | Safety glasses should be worn in all industrial operations. |
| Handling instructions | Avoid eye contact and prolonged contact with skin. Wear protective gloves. Use adequate ventilation. Wash thoroughly after handling. |
| Work practices | Eye wash fountain and safety shower should be easily accessible. Discard properly such items as rags and trash soaked with the product. Provide adequate ventilation. |
| Hygienic practices | Avoid contact with eyes, skin and clothing. Avoid inhalation of product vapors. Remove contaminated clothing promptly and wash before reusing. |

Section 8

Handling precautions

Special precautions

Do not store under freezing conditions.

Protect from physical damage.

Do not store near acids, acidic materials or oxidizers.

Maintenance precautions

When working with flammable material electrically ground all equipment.

Other precautions

Containers even those that have been emptied will retain product residue and vapors. Always obey hazard warnings and dispose of containers according to state or local guidelines.

Shipping information. UN/NA#, secondary container label necessary or suggested
Compounds, cleaning liquid NA-1760 PK GP II corrosive (sodium hydroxide)

KEEP OUT OF REACH OF CHILDREN