



Material safety data  
sheet  
Revised 05/25/04

Section 1

Manufacture Information

Manuf/Dist. name: Danny's Dealer Supplies Inc.  
 Company Address: 1037 Okeechobee Rd. Unit 1  
 West Palm Beach Fl. 33401  
 Company phone: 561-822-9994 Fax 561-655-1522  
 Emergency phone: 800-535-5053 Infotrac 24 hours Medical information  
 Trade name: Deep Ebony  
 Part Number: Dds.485  
 Chemical name: Not Applicable  
 Chemical Family: Not Applicable  
 Formula: Proprietary  
 Product code: Not Applicable

Hazardous material identification

Product name: Deep Ebony Dds.485  
 Hazard rating: 0 = Insignificant  
 1 = Slight  
 2 = Moderate  
 3 = High  
 4 = Extreme  
 \* = Special

Health	1
Fire	2
Reactivity	0
Specific	

Section 2

Hazardous ingredients

Hazardous ingredients See CFR29 § 1910.1200 (i)-(13)  
 Chemical name CAS number Percentage PEL-OSHA TLV-ACGIH  
 Odorless Mineral 64742-48-9 100 ppm TWA 500 ppm TWA  
 spirits 200ppg STEL  
 Carcinogens NTP: not listed OSHA: not listed IARC Monograph: no listed

Section 3

Effects of overexposure First aid procedures

Health effects acute and chronic

Eyes: Can cause severe irritation, redness, tearing, blurred vision.  
 Skin: Prolonged and repeated contact can cause moderate irritation, de-fatting, dermatitis.  
 Ingestion: Can cause gastro intestinal irritation, nausea, vomiting and diarrhea.  
 Inhalation: Can cause mild irritation.  
 Chronic: Inhalation may increase susceptibility to repertory illness.

Emergency First aid procedures

Eyes: Flush with plenty of water for 15 minutes.  
 Skin: Immediately flush skin with plenty of running water for 30 minutes.  
 Remove contaminated clothing and wash before reusing.  
 Ingestion: Do not induce vomiting. Call physician immediately. Drink copious amounts of water or milk, consult physician.  
 Inhalation: Breathe fresh air. Administer oxygen if breathing is difficult.  
 Contact a physician if problem continues.  
 For emergencies contact Infotrac 800-535-5053

<u>Section 4</u>	<u>Physical data</u>
Appearance	Black/blue crème
Odor	N/A
Solubility in water	90%
Vapor pressure mm hg	NA
Boiling/melting point (F)	220°F
Vapor density (air=1)	>1
Evaporation rate (butyl acetate=1)	1
Percentage volatile by weight (%)	NA
Specific gravity (water-1)	0.9916

<u>Section 5</u>	<u>Fire, Explosion and Reactivity hazard data</u>
Flash point °F	121° T.C.C
Flammability limits in air (%V)	LEL-ND UEL-ND
Extinguishing media	Carbon dioxide, or water foam.
Special fire fighting procedures	SCBA should be used in fighting fires involving chemicals.
Unusual fire and explosion hazards	Non known
Chemical incompatibility	Avoid contact with acids and strong oxidizing agents.
Hazardous decomposition products	Burning may produce carbon monoxide and or carbon dioxide.
Hazardous polymerization	Will not occur.
Stability	Stable

<u>Section 6</u>	<u>Spill or leak procedures Waste disposal method</u>
Spill or leak procedures	Absorb large spills with suitable absorbent. Shovel into containers. Wash residue with soap and water.
Waste disposal method	Dispose of according to local, state and federal regulations.

<u>Section 7</u>	<u>Precautions for safe handling and use</u>
Respiratory	Dust mask, use SCBA when exposure levels are exceeded.
Ventilation	Local exhaust recommended
Eye protection	Safety glasses should be worn in all industrial operations.
Handling instructions	Avoid eye contact and prolonged contact with skin. Wear protective gloves. Use adequate ventilation. Wash thoroughly after handling.
Work practices	Eye wash fountain and safety shower should be easily accessible. Discard properly such items as rags and trash soaked with the product. Provide adequate ventilation.
Hygienic practices	Avoid contact with eyes, skin and clothing. Avoid inhalation of product vapors. Remove contaminated clothing promptly and wash before reusing.

<u>Section 8</u>	<u>Special precautions</u>
Handling precautions	Do not store under freezing conditions. Protect from physical damage. Keep away from open flame.
Maintenance precautions	When working with flammable material electrically ground all equipment.
Other precautions	Containers even those that have been emptied will retain

product residue and vapors. Always obey hazard warnings and dispose of containers according to state or local guidelines.

Additional precautions

None

Shipping information. UN/NA#, secondary container label necessary or suggested

**KEEP OUT OF REACH OF CHILDREN**